

FELLER GMBH

A-2525 GUENSELSDORF, AUSTRIA - TEL.: .. 43(2256) 62 32 50 - FAX: .. 43 (2256) 62 32 57
e-mail: sales@feller-at.com <http://www.feller-at.com>

Description: BR/2-H03VVH2F2X075-C7/1,80m,black,EGB
Rating of cord set: 2,5A/250V AC

1. PLUG: Type BR/2

Molded plug according to : NBR14136
Rated current and voltage : 10A, 250 V AC
Plugbase : PA GFR
Pins : brass, nickel-plated, crimped,
part insulated
Pins outer diameter : 4,0 mm
Outer mold : PVC compound, hardness Shore A75-77
Approvals : UL-BRAZIL

2. CORD: Type H03VVH2F2X0,75 mm²

Flexible cord according to : ÖVE K41a,HD 21.S2; AS3191
Marked : *JF*<ÖVE><HAR>H03VVH2F2X0,75*N1095*CE
Number of cores : 2
Conductor construction : 23x0,2 mm O.D. 1,10mm
Conductor insulation : Extruded PVC, O.D. 2,10mm
Jacket : Extruded PVC, 3,30 mm x 5,40mm +/-0,20mm
Electrical resistance
of conductors : max.26 Ω /km
Dielectric strength : 2kVac, 1min.
Insulation resistance : >0,010 M Ω /km
Approvals : HARMONIZED,ÖVE

4. CONNECTOR: Type C7

Molded connector according to : EN/IEC60320/C7, UL817,CSA 22.2 No.21, JIS C8303
Rated current and voltage : 2,5 A, 250 V AC
7 A , 125 V AC (USA,CANADA,CHINA)
Construction : double insulation
Contacts of the connection : phosphor bronze CuSn6
Inner insulation : PPO GFR
Outer mold : PVC compound, hardness Shore A 75-77
Approvals : CE,ENEC,SAA,UL,CSA,PSE,CCC


Environmental conformity : EU-Directive 2002/96/EC (WEEE)
EU-Directive 2003/11/EC (Council Directive 76/769/EEC)
EU-Directive 2002/95/EC (RoHS-compliant)

TESTING

Electrical testing : 100%
Visual inspection : 100%
High pot test wire to wire : 3.000Vac for 2 sec.
Continuity test : 25Aac to grounding / 20Aac to line and neutral
Skin high pot test : 6.000Vac line to skin

design subject to change without prior notice

DATE of ISSUE:	Octobre, 13, 2010
REV: 1	1
ORIG:	lg



Feller Type: BR/2-H03VVH2F2X0,75-C7/1,80m, black EGB

FELLER 

A-2525 Günselsdorf, Austria

Telefon 0043-2256-62325-0

Fax: 0043-2256-62325-7

email: sales@feller-at.com

<http://www.feller-at.com>


All dimensions in mm

RoHS compliant

10.10.13

Su

EGB



connector

plug

Feller Type: EGB

All dimensions in mm

21.05.10

AR

RoHS compliant

FELLER 

A-2525 Günselsdorf, Austria

Telefon 0043-2256-62325-0

Fax: 0043-2256-62325-7

email: sales@feller-at.com

<http://www.feller-at.com>